UNIVERSITY OF TORONTO

ν_e CCQE/CC1π^+ Selection Studies

Trevor Towstego

ν_e CCQE/CC1π^+ Meeting

October 3, 2019

Selection Momentum Dependence

- 1π^0 Final State Events: Plot 1π^0 rejection efficiency vs. true π^0 momentum *without E_{rec} cut*
  - recovered ν_e CCQE sample
- 1e Final State Events: Plot 1e selection efficiency vs. true e momentum *without E_{rec} cut*
  - recovered ν_e CCQE sample
  - 2-ring ν_e CC1π^+ sample
- 1e1$\pi^\pm$ Final State Events: Plot 1e1π^+ selection efficiency vs. true π^+ and e momentum *without E_{rec} cut*
  - recovered ν_e CCQE sample
  - 2-ring ν_e CC1π^+ sample

$1\pi^0$ Final State Events

Recovered ν_e CCQE Sample

$1\pi^0$ rejection vs. π^0 momentum





Recovered ν_e CCQE Sample

relative $1\pi^0$ rejection vs. π^0 momentum





1e Final State Events

Recovered ν_e CCQE Sample

1e efficiency vs. e momentum





Recovered ν_e CCQE Sample

relative 1e efficiency vs. e momentum





2-Ring ν_e CC1π^+ Sample

1e efficiency vs. e momentum





2-Ring ν_e CC1π^+ Sample

relative 1e efficiency vs. e momentum





1e1π^+ Final State Events

Recovered ν_e CCQE Sample

1e1π⁺ efficiency vs. π⁺ momentum





Recovered ν_e CCQE Sample

relative 1e1π^+ efficiency vs. π^+ momentum





Recovered ν_e CCQE Sample

1e1π⁺ efficiency vs. e momentum





Recovered ν_e CCQE Sample

relative 1e1π⁺ efficiency vs. e momentum





Recovered ν_e CCQE Sample

1e1π⁺ efficiency vs. cos($\theta_{e\pi}$)





Recovered ν_e CCQE Sample

relative 1e1π⁺ efficiency vs. cos($\theta_{e\pi}$)





2-ring ν_e CC1π^+ Sample

1e1π^+ efficiency vs. π^+ momentum





2-ring ν_e CC1π^+ Sample

relative 1e1π^+ efficiency vs. π^+ momentum





2-ring ν_e CC1π^+ Sample

1e1π^+ efficiency vs. e momentum





2-ring ν_e CC1π^+ Sample

relative 1e1π^+ efficiency vs. e momentum





2-ring ν_e CC1π^+ Sample

1e1π^+ efficiency vs. cos($\theta_{e\pi}$)





2-ring ν_e CC1π^+ Sample

relative 1e1π^+ efficiency vs. cos($\theta_{e\pi}$)





$1e1\pi^{+}$ Final State Events Efficiency vs. $\cos(\theta_{e\pi})$

Recovered ν_e CCQE Sample

1e1π⁺ efficiency vs. cos($\theta_{e\pi}$)





2-ring ν_e CC1π^+ Sample

1e1π^+ efficiency vs. cos($\theta_{e\pi}$)






Recovered ν_e CCQE: 1e1π⁺ Final State Events
(1.51×10²¹ POT)
FCFV 1e1π⁺ events
Efficiency after 1-ring e/μ rejection
Efficiency after E_{rec} < 1.5 GeV cut
Efficiency after BDT cut
Number of Events
Efficiency (true DWall > 50 cm)
True cos($\theta_{e\pi}$)

2-ring ν_e CC1π⁺: 1e1π⁺ Final State Events
(1.51×10²¹ POT)
FCFV 1e1π⁺ events
Efficiency after 1-ring e/μ rejection
Efficiency after E_{rec} < 1.5 GeV cut
Efficiency after BDT cut
Number of Events
Efficiency (true DWall > 50 cm)
True cos($\theta_{e\pi}$)


ν_e CCQE: 1e1π⁺ Final State Events
(1.51×10²¹ POT)
FCFV 1e1π⁺ events
Efficiency after ν_e CCQE selection
Number of Events
Efficiency (true DWall > 50 cm)
True cos($\theta_{e\pi}$)


1-ring ν_e CC1π⁺: 1e1π⁺ Final State Events
(1.51×10²¹ POT)
FCFV 1e1π⁺ events
Efficiency after 1-ring ν_e CC1π⁺ selection
Number of Events
Efficiency (true DWall > 50 cm)
True cos($\theta_{e\pi}$)


Recovered ν_e CCQE: 1e1π⁺ Final State Events
2-ring ν_e CC1π⁺: 1e1π⁺ Final State Events
All ν_e Samples: 1e1π⁺ Final State Events
(1.51×10²¹ POT)
FCFV 1e1π⁺ events
Efficiency after 1-ring e/μ rejection
Efficiency after E_{vis} < 1.5 GeV cut
Efficiency after BDT cut
Efficiency of all ν_e samples
Number of Events
Efficiency (true DWall > 50 cm)
True cos($\theta_{e\pi}$)

Absolute Sample Contributions

1e Final State Events



Selection Finalisation

- New FCFV cuts need to be applied to selection
  - Recovered ν_e CCQE
    - DWall > 80 cm
    - ToWall > 170 cm
  - 2-ring ν_e CC1π^+
    - DWall > 50 cm
    - ToWall > 150 cm (both rings)
- Thinking of changing E_{rec} cut
  - from $E_{rec} < 1.5$ GeV → $E_{rec} < 1.25$ GeV
    - Consistent with existing samples

Backup

Detailed Cutflow: Recovered ν_e CCQE

NEUT Mode

1.51×10²¹ POT	$\nu_e/\bar{\nu}_e$ CC QE	$\nu_e/\bar{\nu}_e$ CC 1$\pi^{\pm}$	$\nu_e/\bar{\nu}_e$ CC other	$\nu_\mu/\bar{\nu}_\mu$ CC QE	$\nu_\mu/\bar{\nu}_\mu$ CC other	NC
All	74.53	36.95	27.36	377.57	706.00	991.26
OD Hits < 16	67.90	32.69	23.43	274.99	465.00	348.72
E_{vis} > 30 MeV	67.67	32.54	23.39	268.99	462.18	309.86
Wall > 50 cm	62.28	29.88	21.34	262.16	443.85	285.85
Not 1Re/μ	17.28	17.64	19.33	37.31	390.96	255.75
0 decay e	16.67	8.12	11.45	11.56	60.98	185.50
E_{rec} < 1.5 GeV	8.86	5.12	4.57	5.98	14.11	164.98
BDT cut	6.33	0.67	0.30	0.04	0.09	3.88

Final State

1.51×10²¹ POT	1e	1e+1π^+	1e+other	1μ	1μ+other	1$\pi^{\pm}$	1π^0	other
All	89.05	17.68	32.36	420.74	587.88	63.65	146.50	855.79
OD Hits < 16	81.26	16.24	28.18	306.17	388.44	46.41	134.76	211.28
E_{vis} > 30 MeV	80.90	16.19	28.16	301.28	387.78	39.36	134.17	176.80
Wall > 50 cm	74.54	14.86	25.66	293.94	372.41	37.86	123.78	162.30
Not 1Re/μ	19.45	10.42	25.21	39.81	352.85	22.57	118.77	149.19
0 decay e	17.60	3.03	15.98	8.64	58.10	10.76	113.54	66.63
E_{rec} < 1.5 GeV	9.47	2.05	7.41	4.90	13.43	10.72	109.40	46.23
BDT cut	6.95	0.24	0.24	0.03	0.07	0.02	3.14	0.63

Detailed Cutflow: 2-ring ν_e CC1π^+

NEUT Mode

1.51×10²¹ POT	$\nu_e/\bar{\nu}_e$ CC QE	$\nu_e/\bar{\nu}_e$ CC 1$\pi^\pm$	$\nu_e/\bar{\nu}_e$ CC other	$\nu_\mu/\bar{\nu}_\mu$ CC QE	$\nu_\mu/\bar{\nu}_\mu$ CC other	NC
All	74.53	36.95	27.36	377.57	706.00	991.26
OD Hits < 16	67.90	32.69	23.43	274.99	465.00	348.72
E_{vis} > 30 MeV	67.67	32.54	23.39	268.99	462.18	309.86
Wall > 50 cm	62.39	30.09	21.84	248.69	430.81	289.56
Not 1Re/μ	17.38	17.86	19.82	34.18	382.75	259.78
0 decay e	0.58	9.19	6.02	19.16	157.15	53.04
E_{rec} < 1.5 GeV	0.14	5.27	1.11	7.52	41.65	32.91
BDT cut	0.04	3.37	0.23	0.02	0.86	1.00

Final State

1.51×10²¹ POT	1e	1e+1π^+	1e+other	1μ	1μ+other	1$\pi^\pm$	1π^0	other
All	89.05	17.68	32.36	420.74	587.88	63.65	146.50	855.79
OD Hits < 16	81.26	16.24	28.18	306.17	388.44	46.41	134.76	211.28
E_{vis} > 30 MeV	80.90	16.19	28.16	301.28	387.78	39.36	134.17	176.80
Wall > 50 cm	74.65	14.94	26.31	278.22	361.81	37.26	125.21	164.98
Not 1Re/μ	19.56	10.51	25.85	36.04	345.38	22.21	120.21	152.02
0 decay e	1.71	7.17	7.08	12.30	150.06	9.10	4.96	52.77
E_{rec} < 1.5 GeV	0.55	4.59	1.51	5.63	40.10	8.76	3.49	23.97
BDT cut	0.23	3.13	0.22	0.01	0.73	0.08	0.20	0.93