Progress Update

Enze Zhang

2017/09/20

Plot trained filters and processed images

- Filters: include 8 angle filters (different for electron/muon), 3 custom filters (*full*, *medium* and *cross*, same for electron/muon)



w1graph



egraph



h_conv1_1e_graph



h_pool1_1e_graph



w1graph



mugraph



h_conv1_1mu_graph



h_pool1_1mu_graph



w2graph



egraph



h_conv1_2e_graph



h_pool1_2e_graph



w2graph



mugraph



h_conv1_2mu_graph



h_pool1_2mu_graph



w3graph



egraph



h_conv1_3e_graph



h_pool1_3e_graph



w3graph



mugraph



h_conv1_3mu_graph



h_pool1_3mu_graph



w4graph



egraph



h_conv1_4e_graph



h_pool1_4e_graph



w4graph



mugraph



h_conv1_4mu_graph



h_pool1_4mu_graph



full filter



egraph



lh_conv1_17e_graph



lh_pool1_17e_graph



full filter



mugraph



lh_conv1_17mu_graph



lh_pool1_17mu_graph



medium filter



egraph



lh_conv1_19e_graph



lh_pool1_19e_graph



medium filter



mugraph



lh_conv1_19mu_graph



lh_pool1_19mu_graph




cross filter


egraph


h_conv1_21e_graph


h_pool1_21e_graph


cross filter


mugraph


h_conv1_21mu_graph


h_pool1_21mu_graph

Summary of the whole project

1. Generate electron muon events with WCSim.
2. Read the output root file from WCSim, project the PMT charge information into 2D images and store them in root files.
3. Distinguish images of different sets and write down all the images in each set to a text file for training.

   (Here I tried to find an approach to read the root files directly into machine learning algorithm, but failed.)
4. Train and test with Theo’ s algorithm.
5. Make a plot of the filters and middle-step outputs.